

Origination Date: 7/03	Revision Date(s): 7/04, 6/05, 5/06, 6/07, 7/08
Developed By: Medical Criteria Committee	

Histology results

References:

- Rutgeerts P, Vermeire S. Clinical value of the detection of antibodies in the serum for diagnosis and treatment of inflammatory bowel disease. *Gastroenterology*. 1998; 115(4):1006-1009.
- Joossens S, Reinisch W, Vermeire S, et al. The value of serologic markers in indeterminate colitis: A prospective follow-up study. *Gastroenterology*. 2002; 122(5):1242-1247.
- Differentiating between Crohn's disease and ulcerative colitis with anti-saccharomyces cerevisiae and anti-neutrophil cytoplasmic antibodies. May 2002; www.aruplab.com
- Viander, Markku. Diagnostics of IBD-differentiation of Crohn's disease from ulcerative colitis by serological tests. November 2002. www.biofons.com
- Saito H, Fukuda Y, Katsuragi K, et al. Isolation of peptides useful for differential diagnosis of Crohn's disease and ulcerative colitis. *Gut*. 2003 Apr; 52(4):535-40.
- Vermeire S, Joossens S, Peeters M, et al. Comparative study of ASCA assays in inflammatory bowel disease. *Gastroenterology*. 2001; 120(4):827-833.
- Peeters M, Joossens S, Vermeire S, et al. Diagnostic value of anti-Saccharomyces cerevisiae and antineutrophil cytoplasmic autoantibodies in inflammatory bowel disease. *American Journal of Gastroenterology*. March 2001; 96(3):730
- Gupta A, Derbes C, Sellin J. Clinical indications of the use of antineutrophil cytoplasmic antibodies and anti-Saccharomyces cerevisiae antibodies in the evaluation of inflammatory bowel disease at an academic medical center. *Inflamm Bowel Dis*. Oct 2005; 11(10):898-902.
- Israeli E, Grotto I, Gilburd B, et al. Anti-Saccharomyces cerevisiae and antineutrophil cytoplasmic antibodies as predictors of inflammatory bowel disease. *Gut*. Sept 2005; 54(9):1232-6.
- Crohn's and Colitis Foundation of America website. www.cdfa.org.
- Hanauer SB, Sandborn W. Management of Crohn's disease in adults. *Am J Gastroenterol* March 2001; 96(3):635-43.
- Information provided by Prometheus Laboratories-IBD First Step, IBD Diagnostic System, Comparison of ANCA.
- Sabery N, Bass D. Use of serologic markers as a screening tool in inflammatory bowel disease compared with elevated erythrocyte sedimentation rate and anemia. *Pediatrics* 2007;119:e193-e199.
- Overuse of serological testing for inflammatory bowel disease. *Mayo Clinic Communique*. September 2006;31(9).
- Physician Advisors